

DIMENSION SPECIFICATIONS	
LED Wattage	Width
29w	8 5/8"
46w	8 5/8"
78w	12 1/4"
117w	13 1/2"

Project: \_\_\_\_\_  
 Fixture Type: \_\_\_\_\_ Quantity: \_\_\_\_\_  
 Customer: \_\_\_\_\_



### Specifications

**LED**  
 Efficacy ranges from 80-115 lumens per watt  
 Customized lens precisely directs the light  
 Operating temperature of -30C to 55C  
 Dimmable 10% - 100%  
 Life: L70 is 60,000 hours  
 CCT: 2700K, 3500K, 4000K and 5000K  
 CR: >70 @ 5000K  
 Parallel circuitry ensures consistent light output in the event of single LED failure


**LISTINGS**  
 Fully compliant with the RoHS Directive  
 Certifications: ETL  
 Rated IP65 with an optional IP66 rating

**DRIVER**  
 Operates at 400mA  
 Built in surge protection  
 Constant current output 50/60HZ  
 Driver Efficiency > 90% power factor above 99%  
 120 – 277 volts

## PLATFORM RETROFIT KIT - LED

The ANP HighPro LED Platform is available in 29-watt, 46-watt, 78-watt and 117-watt. Each LED module has a non-yellowing, shatter-resistant lens allowing the platform to be exposed. Suitable for retrofit into all ANP down light, cut-off and dark sky compliant luminaires and most other manufacturers' similar luminaires. No heat sink is required.

### Catalog Logic



Catalog Number: **1** **2** **3** **4** **5**

**RP**

1	LIGHT SOURCE & WATTAGES
029LD4	(29w Platform; 400ma Driver)
046LD4	(46w Platform; 400ma Driver)
078LD4	(78w Platform; 400ma Driver)
117LD4	(117w Platform; 400ma Driver)

4	COLOR TEMPERATURE (CCT)
Platform	
27K	(2700K)
35K	(3500K)
40K	(4000K)
50K	(5000K)

2	DIMMING
N	(No Dimming)
D	(Dimming; 0-10v DC)

5	QUOTE NUMBER
0XXXXXX	ANP Quote Number

3	OPTICS
Platform	
T2	(Type II)
T3	(Type III)
T5	(Type V)

**NOTE: ANP Retrofit Kits are custom designed to fit fixture.**

PLATFORM				
LED Wattage	CCT	Lumens	System Wattage	Efficacy
29w	2700K	2700	30w	90
29w	3500K	2700	30w	90
29w	4000K	3600	30w	120
29w	5000K	3600	30w	120
46w	2700K	3450	46w	80
46w	3500K	3910	46w	85
46w	4000K	5014	46w	109
46w	5000K	5290	46w	115
78w	2700K	6000	80w	80
78w	3500K	6800	80w	85
78w	4000K	8720	80w	109
78w	5000K	9200	80w	115
117w	2700K	9000	120w	80
117w	3500K	10,200	120w	85
117w	4000K	13,080	120w	109
117w	5000K	13,920	120w	115

### WARRANTY

See terms and conditions for complete fixture warranty.

LED warranty information

- 7 year limited warranty\* on LED engines
- 5 year limited warranty\* on Drivers

\*Limited Warranty: A typical year is defined as 4380 hours of operation. Failure defined as more than 8% of the total platform or tower LED's not operating.