


Our complete line of RLM now available in LED

Significantly improve energy efficiency and reduce maintenance costs without compromising design

- High Lumen Round LED Module
- Excellent brightness and color uniformity
- 50,000 Hr lifetime
- No ultraviolet or infrared radiation
- ROHS compliant



High lumen Round LED Module - 120 -277 Voltage

Color	Operating Current	Luminous Power	Output	CRI	Lamp Comparison
3000K	480mA	10W	715lm	>80	60w Incan./13wPL
5000K	480mA	10W	870lm	>80	75w Incan./13wPL
3000K	960mA	20W	1350lm	>80	100w Incan./26wPL
5000K	960mA	20W	1630lm	>80	100w Incan./32wPL
3000K	1440mA	30W	1750lm	>80	100w Incan./32wPL
5000K	1440mA	30W	2195lm	>80	150w Incan./42wPL

Typical test temp 25C





◀ **A812-41-E6-41**
12" Angle Shade with E6 Arm in Black. Medium Base Socket.*



▶ **A812-41-E6-41-100GLFR-GUP-41-RTC-32WPL-41**
12" Angle Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **A812-42-E6-42**
12" Angle Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **A812-42-E6-42-100GLFR-GUP-42-RTC-32WPL-42**
12" Angle Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **A812-44-E6-44**
12" Angle Shade with E6 Arm in White. Medium Base Socket.*



▶ **A812-44-E6-44-100GLFR-GUP-44-RTC-32WPL-44**
12" Angle Shade with 100W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **A812-49-E6-49**
12" Angle Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **A812-49-E6-49-100GLFR-GUP-49-RTC-32WPL-49**
12" Angle Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **A814-41-E6-41**
14" Angle Shade with E6 Arm in Black. Medium Base Socket.*



▶ **A814-41-E6-41-200GLFR-GUP-41-RTC-42WPL-41**
14" Angle Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **A814-42-E6-42**
14" Angle Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **A814-42-E6-42-200GLFR-GUP-42-RTC-42WPL-42**
14" Angle Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **A814-44-E6-44**
14" Angle Shade with E6 Arm in White. Medium Base Socket.*



▶ **A814-44-E6-44-200GLFR-GUP-44-RTC-42WPL-44**
14" Angle Shade with 200W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **A814-49-E6-49**
14" Angle Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **A814-49-E6-49-200GLFR-GUP-49-RTC-42WPL-49**
14" Angle Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **D616-41-E6-41**
16" Deep Bowl Shade with E6 Arm in Black. Medium Base Socket.*



▶ **D616-41-E6-41-100GLFR-GUP-41-RTC-32WPL-41**
16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **D616-42-E6-42**
16" Deep Bowl Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **D616-42-E6-42-100GLFR-GUP-42-RTC-32WPL-42**
16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **D616-44-E6-44**
16" Deep Bowl Shade with E6 Arm in White. Medium Base Socket.*



▶ **D616-44-E6-44-100GLFR-GUP-44-RTC-32WPL-44**
16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **D616-49-E6-49**
16" Deep Bowl Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **D616-49-E6-49-100GLFR-GUP-49-RTC-32WPL-49**
16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **D616-41-BLC-41**
16" Deep Bowl Shade in Black with 8'
Black Cord. Medium Base Socket.*



D616-41-WHC-41 ▶
16" Deep Bowl Shade in Black with 8'
White Cord. Medium Base Socket.*



◀ **D616-42-BLC-42**
16" Deep Bowl Shade in Forest Green with 8'
Black Cord. Medium Base Socket.*



D616-42-WHC-42 ▶
16" Deep Bowl Shade in Forest Green with 8'
White Cord. Medium Base Socket.*



D616-44-BLC-44
16" Deep Bowl Shade in White with 8' Black
Cord. Medium Base Socket.*



D616-44-WHC-44 ▶
16" Deep Bowl Shade in White with 8'
White Cord. Medium Base Socket.*



◀ **D616-49-BLC-49**
16" Deep Bowl Shade in Galvanized with 8'
Black Cord. Medium Base Socket.*



D616-49-WHC-49 ▶
16" Deep Bowl Shade in Galvanized with 8'
White Cord. Medium Base Socket.*



◀ **D616-41-100GLFR-GUP-41-RBHC-32WPL-41**
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

D616-41-100GLFR-GUP-41-RWHC-32WPL-41 ▶
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **D616-42-100GLFR-GUP-42-RBHC-32WPL-42**
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

D616-42-100GLFR-GUP-42-RWHC-32WPL-42 ▶
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **D616-44-100GLFR-GUP-44-RBHC-32WPL-44**
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

D616-44-100GLFR-GUP-44 RWHC-32WPL-44 ▶
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **D616-49-100GLFR-GUP-49-RBHC-32WPL-49**
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

D616-49-100GLFR-GUP-49-RWHC-32WPL-49 ▶
 16" Deep Bowl Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **D618-41-E6-41**

18" Deep Bowl Shade with E6 Arm in Black. Medium Base Socket.*



D618-41-E6-41-200GLFR-GUP-41-RTC-42WPL-41 ▶

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **D618-42-E6-42**

18" Deep Bowl Shade with E6 Arm in Forest Green. Medium Base Socket.*



D618-42-E6-42-200GLFR-GUP-42-RTC-42WPL-42 ▶

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **D618-44-E6-44**

18" Deep Bowl Shade with E6 Arm in White. Medium Base Socket.*



D618-44-E6-44-200GLFR-GUP-44-RTC-42WPL-44 ▶

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **D618-49-E6-49**

18" Deep Bowl Shade with E6 Arm in Galvanized. Medium Base Socket.*



D618-49-E6-49-200GLFR-GUP-49-RTC-42WPL-49 ▶

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

DEEP BOWL SERIES: D618

Available in LED



◀ D618-41-BLC-41

18" Deep Bowl Shade in Black with 8' Black Cord. Medium Base Socket.*

D618-41-WHC-41 ▶
18" Deep Bowl Shade in Black with 8' White Cord. Medium Base Socket.*



◀ D618-42-BLC-42

18" Deep Bowl Shade in Forest Green with 8' Black Cord. Medium Base Socket.*

D618-42-WHC-42 ▶
18" Deep Bowl Shade in Forest Green with 8' White Cord. Medium Base Socket.*



◀ D618-44-BLC-44

18" Deep Bowl Shade in White with 8' Black Cord. Medium Base Socket.*

D618-44-WHC-44 ▶
18" Deep Bowl Shade in White with 8' White Cord. Medium Base Socket.*



◀ D618-49-BLC-49

18" Deep Bowl Shade in Galvanized with 8' Black Cord. Medium Base Socket.*

D618-49-WHC-49 ▶
18" Deep Bowl Shade in Galvanized with 8' White Cord. Medium Base Socket.*



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.

DEEP BOWL SERIES: D618

Available in LED



▶ **D618-41-200GLFR-GUP-41-RBHC-42WPL-41**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **D618-41-200GLFR-GUP-41-RWHC-42WPL-41**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **D618-42-200GLFR-GUP-42-RBHC-42WPL-42**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **D618-42-200GLFR-GUP-42-RWHC-42WPL-42**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **D618-44-200GLFR-GUP-44-RBHC-42WPL-44**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **D618-44-200GLFR-GUP-44-RWHC-42WPL-44**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **D618-49-200GLFR-GUP-49-RBHC-42WPL-49**

16" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **D618-49-200GLFR-GUP-49-RWHC-42WPL-49**

18" Deep Bowl Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.





◀ **M712-41-E6-41**
12" Emblem Shade with E6 Arm in Black. Medium Base Socket.*



▶ **M712-41-E6-41-100GLFR-GUP-41-RTC-32WPL-41**
12" Emblem Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **M712-42-E6-42**
12" Emblem Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **M712-42-E6-42-100GLFR-GUP-42-RTC-32WPL-42**
12" Emblem Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **M712-44-E6-44**
12" Emblem Shade with E6 Arm in White. Medium Base Socket.*



▶ **M712-44-E6-44-100GLFR-GUP-44-RTC-32WPL-44**
12" Emblem Shade with 100W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **M712-49-E6-49**
12" Emblem Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **M712-49-E6-49-100GLFR-GUP-49-RTC-32WPL-49**
12" Emblem Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **M714-41-E6-41**

14" Emblem Shade with E6 Arm in Black. Medium Base Socket.*



▶ **M714-41-E6-41-200GLFR-GUP-41-RTC-42WPL-41**

14" Emblem Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **M714-42-E6-42**

14" Emblem Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **M714-42-E6-42-200GLFR-GUP-42-RTC-42WPL-42**

14" Emblem Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **M714-44-E6-44**

14" Emblem Shade with E6 Arm in White. Medium Base Socket.*



▶ **M714-44-E6-44-200GLFR-GUP-44-RTC-42WPL-44**

14" Emblem Shade with 200W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **M714-49-E6-49**

14" Emblem Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **M714-49-E6-49-200GLFR-GUP-49-RTC-42WPL-49**

14" Emblem Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



ORBITOR SERIES: ORB12

For LED options see pages 25-27.



ORB12-FR-41-E6-41

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in Black. Medium Base Socket.*



ORB12-FR-41-E6-41-RTC-32WPL-41

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



ORB12-FR-42-E6-42

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in Forest Green. Medium Base Socket.*



ORB12-FR-42-E6-42-RTC-32WPL-42

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



ORB12-FR-44-E6-44

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in White. Medium Base Socket.*



ORB12-FR-44-E6-44-RTC-32WPL-44

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



ORB12-FR-49-E6-49

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in Galvanized. Medium Base Socket.*



ORB12-FR-49-E6-49-RTC-32WPL-49

12" Orbitor Shade with 100W Frosted Glass with E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **ORB12-FR-41-BLC-41**

12" Orbitor Shade with 100W Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket.*



ORB12-FR-41-WHC-41 ▶

12" Orbitor Shade with 100W Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket.*



◀ **ORB12-FR-42-BLC-42**

12" Orbitor Shade with 100W Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*



ORB12-FR-42-WHC-42 ▶

12" Orbitor Shade with 100W Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



◀ **ORB12-FR-44-BLC-44**

12" Orbitor Shade with 100W Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket.*



ORB12-FR-44-WHC-44 ▶

12" Orbitor Shade with 100W Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket.*



◀ **ORB12-FR-49-BLC-49**

12" Orbitor Shade with 100W Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*



ORB12-FR-49-WHC-49 ▶

12" Orbitor Shade with 100W Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket.*



◀ **ORB12-FR-41-RBHC-32WPL-41**

12" Orbitor Shade with 100W Frosted Glass in Black with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB12-FR-41-RWHC-32WPL-41 ▶

12" Orbitor Shade with 100W Frosted Glass in Black with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB12-FR-42-RBHC-32WPL-42**

12" Orbitor Shade with 100W Frosted Glass in Forest Green with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB12-FR-42-RWHC-32WPL-42 ▶

12" Orbitor Shade with 100W Frosted Glass in Forest Green with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB12-FR-44-RBHC-32WPL-44**

12" Orbitor Shade with 100W Frosted Glass in White with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB12-FR-44-RWHC-32WPL-44 ▶

12" Orbitor Shade with 100W Frosted Glass in White with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB12-FR-49-RBHC-32WPL-49**

12" Orbitor Shade with 100W Frosted Glass in Galvanized with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB12-FR-49-RWHC-32WPL-49 ▶

12" Orbitor Shade with 100W Frosted Glass in Galvanized with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturer's instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.

ORBITOR SERIES: ORB16 For LED options see pages 25-27.



◀ **ORB16-FR-41-E6-41**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in Black. Medium Base Socket.*



▶ **ORB16-FR-41-E6-41-RTC-32WPL-41**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB16-FR-42-E6-42**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in Forest Green. Medium Base Socket.*



▶ **ORB16-FR-42-E6-42-RTC-32WPL-42**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB16-FR-44-E6-44**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in White. Medium Base Socket.*



▶ **ORB16-FR-44-E6-44-RTC-32WPL-44**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB16-FR-49-E6-49**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in Galvanized. Medium Base Socket.*



▶ **ORB16-FR-49-E6-49-RTC-32WPL-49**
16" Orbitor Shade with 100W Frosted Glass with E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



ORBITOR SERIES: ORB16

For LED options see pages 25-27.



◀ ORB16-FR-41-BLC-41

16" Orbitor Shade with 100W Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket.*



▶ ORB16-FR-41-WHC-41

16" Orbitor Shade with 100W Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket.*




◀ ORB16-FR-42-BLC-42

16" Orbitor Shade with 100W Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*



▶ ORB16-FR-42-WHC-42

16" Orbitor Shade with 100W Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



◀ ORB16-FR-44-BLC-44

16" Orbitor Shade with 100W Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket.*



▶ ORB16-FR-44-WHC-44

16" Orbitor Shade with 100W Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket.*



◀ ORB16-FR-49-BLC-49

16" Orbitor Shade with 100W Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*



▶ ORB16-FR-49-WHC-49

16" Orbitor Shade with 100W Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket.*

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturer's instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **ORB16-FR-41-RBHC-32WPL-41**

16" Orbitor Shade with 100W Frosted Glass in Black with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB16-FR-41-RWHC-32WPL-41 ▶

16" Orbitor Shade with 100W Frosted Glass in Black with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB16-FR-42-RWHC-32WPL-42**

16" Orbitor Shade with 100W Frosted Glass in Forest Green with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB16-FR-42-RBHC-32WPL-42 ▶

16" Orbitor Shade with 100W Frosted Glass in Forest Green with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB16-FR-44-RBHC-32WPL-44**

16" Orbitor Shade with 100W Frosted Glass in White with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB16-FR-44-RWHC-32WPL-44 ▶

16" Orbitor Shade with 100W Frosted Glass in White with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **ORB16-FR-49-RBHC-32WPL-49**

16" Orbitor Shade with 100W Frosted Glass in Galvanized with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

ORB16-FR-49-RWHC-32WPL-49 ▶

16" Orbitor Shade with 100W Frosted Glass in Galvanized with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



ORBITOR SERIES: ORB216 For LED options see pages 25-27.



◀ **ORB216-FR-41-E6-41**
16" Orbitor 200 Shade, 200W Frosted Glass in Black with E6 Arm. Medium Base Socket.*



▶ **ORB216-FR-41-E6-41-RTC-42WPL-41**
16" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB216-FR-42-E6-42**
16" Orbitor 200 Shade, 200W Frosted Glass in Forest Green with E6 Arm. Medium Base Socket.*



▶ **ORB216-FR-42-E6-42-RTC-42WPL-42**
16" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB216-FR-44-E6-44**
16" Orbitor 200 Shade, 200W Frosted Glass in White with E6 Arm. Medium Base Socket.*



▶ **ORB216-FR-44-E6-44-RTC-42WPL-44**
16" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB216-FR-49-E6-49**
16" Orbitor 200 Shade, 200W Frosted Glass in Galvanized with E6 Arm. Medium Base Socket.*



▶ **ORB216-FR-49-E6-49-RTC-42WPL-49**
16" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.

ORBITOR SERIES: ORB216 For LED options see pages 25-27.



◀ ORB216-FR-41-BLC-41

16" Orbitor 200 Shade, 200W Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket.*

ORB216-FR-41-WHC-41 ▶
16" Orbitor 200 Shade, 200W Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket.*



◀ ORB216-FR-42-BLC-42

16" Orbitor 200 Shade, 200W Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*

ORB216-FR-42-WHC-42 ▶
16" Orbitor 200 Shade, 200W Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



◀ ORB216-FR-44-BLC-44

16" Orbitor 200 Shade, 200W Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket.*

ORB216-FR-44-WHC-44 ▶
16" Orbitor 200 Shade, 200W Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket.*



◀ ORB216-FR-49-BLC-49

16" Orbitor 200 Shade, 200W Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*

ORB216-FR-49-WHC-49 ▶
16" Orbitor 200 Shade, 200W Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket.*



ORBITOR SERIES: ORB216 For LED options see pages 25-27.



◀ **ORB216-FR-41-RBHC-42WPL-41**

16" Orbitor 200 Shade with 200W Frosted Glass in Black with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **ORB216-FR-41-RWHC-42WPL-41**

16" Orbitor 200 Shade with 200W Frosted Glass in Black with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB216-FR-42-RBHC-42WPL-42**

16" Orbitor 200 Shade with 200W Frosted Glass in Forest Green with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **ORB216-FR-42-RWHC-42WPL-42**

16" Orbitor 200 Shade with 200W Frosted Glass in Forest Green with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB216-FR-44-RBHC-42WPL-44**

16" Orbitor 200 Shade with 200W Frosted Glass in White with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **ORB216-FR-44-RWHC-42WPL-44**

16" Orbitor 200 Shade with 200W Frosted Glass in White with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB216-FR-49-RBHC-42WPL-49**

16" Orbitor 200 Shade with 200W Frosted Glass in Galvanized with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

▶ **ORB216-FR-49-RWHC-42WPL-49**

16" Orbitor 200 Shade with 200W Frosted Glass in Galvanized with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.

ORBITOR SERIES: ORB218 For LED options see pages 25-27.



◀ **ORB218-FR-41-E6-41**

18" Orbitor 200 Shade, 200W Frosted Glass in Black with E6 Arm. Medium Base Socket.*



▶ **ORB218-FR-41-E6-41-RTC-42WPL-41**

18" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB218-FR-42-E6-42**

18" Orbitor 200 Shade, 200W Frosted Glass in Forest Green with E6 Arm. Medium Base Socket.*



▶ **ORB218-FR-42-E6-42-RTC-42WPL-42**

18" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB218-FR-44-E6-44**

18" Orbitor 200 Shade, 200W Frosted Glass in White with E6 Arm. Medium Base Socket.*



▶ **ORB218-FR-44-E6-44-RTC-42WPL-44**

18" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB218-FR-49-E6-49**

18" Orbitor 200 Shade, 200W Frosted Glass in Galvanized with E6 Arm. Medium Base Socket.*



▶ **ORB218-FR-49-E6-49-RTC-42WPL-49**

18" Orbitor 200 Shade with 200W Frosted Glass, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



ORBITOR SERIES: ORB218 For LED options see pages 25-27.



- ◀ **ORB218-FR-41-BLC-41**
18" Orbitor 200 Shade, 200W Frosted Glass in Black with canopy and 8' Black Cord. Medium Base Socket.*



- ORB218-FR-41-WHC-41** ▶
18" Orbitor 200 Shade, 200W Frosted Glass in Black with canopy and 8' White Cord. Medium Base Socket.*



- ◀ **ORB218-FR-42-BLC-42**
18" Orbitor 200 Shade, 200W Frosted Glass in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*



- ORB218-FR-42-WHC-42** ▶
18" Orbitor 200 Shade, 200W Frosted Glass in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



- ◀ **ORB218-FR-44-BLC-44**
18" Orbitor 200 Shade, 200W Frosted Glass in White with canopy and 8' Black Cord. Medium Base Socket.*



- ORB218-FR-44-WHC-44** ▶
18" Orbitor 200 Shade, 200W Frosted Glass in White with canopy and 8' White Cord. Medium Base Socket.*



- ◀ **ORB218-FR-49-BLC-49**
18" Orbitor 200 Shade, 200W Frosted Glass in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*



- ORB218-FR-49-WHC-49** ▶
18" Orbitor 200 Shade, 200W Frosted Glass in Galvanized with canopy and 8' White Cord. Medium Base Socket.*

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturer's instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.

ORBITOR SERIES: ORB218 For LED options see pages 25-27.



◀ **ORB218-FR-41-RBHC-42WPL-41**

18" Orbitor 200 Shade with 200W Frosted Glass in Black with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

ORB218-FR-41-RWHC-42WPL-41 ▶

18" Orbitor 200 Shade with 200W Frosted Glass in Black with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB218-FR-42-RBHC-42WPL-42**

18" Orbitor 200 Shade with 200W Frosted Glass in Forest Green with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

ORB218-FR-42-RWHC-42WPL-42 ▶

18" Orbitor 200 Shade with 200W Frosted Glass in Forest Green with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB218-FR-44-RBHC-42WPL-44**

18" Orbitor 200 Shade with 200W Frosted Glass in White with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

ORB218-FR-44-RWHC-42WPL-44 ▶

18" Orbitor 200 Shade with 200W Frosted Glass in White with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **ORB218-FR-49-RBHC-42WPL-49**

18" Orbitor 200 Shade with 200W Frosted Glass in Galvanized with 8' Black Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

ORB218-FR-49-RWHC-42WPL-49 ▶

18" Orbitor 200 Shade with 200W Frosted Glass in Galvanized with 8' White Cord. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



LED ORBITER SERIES: ORB216LD

Available in 10w, 20w or 30w LED and Color Temp. of 3K or 5K.



◀ ORB216LD-FR-E6-RTC-30LED-3K-41

16" LED Orbiter Shade with frosted glass, E6 Arm in Black. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

▶ ORB216LD-FR-RBHC-30LED-3K-41

16" LED Orbiter Shade with frosted glass in Black with 8' Black Cord (White cord also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB216LD-FR-E6-RTC-30LED-3K-42

16" LED Orbiter Shade with frosted glass, E6 Arm in Forest Green. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

▶ ORB216LD-FR-RBHC-30LED-3K-42

16" LED Orbiter Shade with frosted glass in Forest Green with 8' Black Cord (White cord also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB216LD-FR-E6-RTC-30LED-3K-44

16" LED Orbiter Shade with frosted glass, E6 Arm in White. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

▶ ORB216LD-FR-RBHC-30LED-3K-44

16" LED Orbiter Shade with frosted glass in White with 8' Black Cord (White cord also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB216LD-FR-E6-RTC-30LED-3K-49

16" LED Orbiter Shade with frosted glass, E6 Arm in Galvanized. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

▶ ORB216LD-FR-RBHC-30LED-3K-49

16" LED Orbiter Shade with frosted glass in Galvanized with 8' Black Cord (White cord also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.

LED ORBITER SERIES: ORB218LD

Available in 10w, 20w or 30w LED and Color Temp. of 3K or 5K.



◀ ORB218LD-FR-E6-RTC-30LED-3K-41

18" LED Orbiter Shade with frosted glass, E6 Arm in Black. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB218LD-FR-RBHC-30LED-3K-41 ▶

18" LED Orbiter Shade with frosted glass in Black with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB218LD-FR-E6-RTC-30LED-3K-42

18" LED Orbiter Shade with frosted glass, E6 Arm in Forest Green. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB218LD-FR-RBHC-30LED-3K-42 ▶

18" LED Orbiter Shade with frosted glass in Forest Green with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB218LD-FR-E6-RTC-30LED-3K-44

18" LED Orbiter Shade with frosted glass, E6 Arm in White. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB218LD-FR-RBHC-30LED-3K-44 ▶

18" LED Orbiter Shade with frosted glass in White with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB218LD-FR-E6-RTC-30LED-3K-49

18" LED Orbiter Shade with frosted glass, E6 Arm in Galvanized. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB218LD-FR-RBHC-30LED-3K-49 ▶

18" LED Orbiter Shade with frosted glass in Galvanized with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



LED ORBITER SERIES: ORB220LD

Available in 10w, 20w or 30w LED and Color Temp. of 3K or 5K.



◀ ORB220LD-FR-E6-RTC-30LED-3K-41

20" LED Orbiter Shade with frosted glass, E6 Arm in Black. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB220LD-FR-RBHC-30LED-3K-41 ▶

20" LED Orbiter Shade with frosted glass in Black with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB220LD-FR-E6-RTC-30LED-3K-42

20" LED Orbiter Shade with frosted glass, E6 Arm in Forest Green. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB220LD-FR-RBHC-30LED-3K-42 ▶

20" LED Orbiter Shade with frosted glass in Forest Green with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB220LD-FR-E6-RTC-30LED-3K-44

20" LED Orbiter Shade with frosted glass, E6 Arm in White. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB220LD-FR-RBHC-30LED-3K-44 ▶

20" LED Orbiter Shade with frosted glass in White with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



◀ ORB220LD-FR-E6-RTC-30LED-3K-49

20" LED Orbiter Shade with frosted glass, E6 Arm in Galvanized. Cover Plate and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.

ORB220LD-FR-RBHC-30LED-3K-49 ▶

20" LED Orbiter Shade with frosted glass in Galvanized with 8' Black Cord (White Cord is also available). Canopy and Ballast included. Available in 10w, 20w or 30w LED and Color Temperature of 3K or 5K.



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **R916-41-E6-41**
16" Radial Shade with E6 Arm in Black.
Medium Base Socket.*



▶ **R916-41-E6-41-100GLFR-GUP-41-RTC-32WPL-41**
16" Radial Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-42-E6-42**
16" Radial Shade with E6 Arm in Forest Green.
Medium Base Socket.*



▶ **R916-42-E6-42-100GLFR-GUP-42-RTC-32WPL-42**
16" Radial Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-44-E6-44**
16" Radial Shade with E6 Arm in White.
Medium Base Socket.*



▶ **R916-44-E6-44-100GLFR-GUP-44-RTC-32WPL-44**
16" Radial Shade with 100W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-49-E6-49**
16" Radial Shade with E6 Arm in Galvanized.
Medium Base Socket.*



▶ **R916-49-E6-49-100GLFR-GUP-49-RTC-32WPL-49**
16" Radial Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-41-BLC-41**
16" Radial Shade in Black with canopy and 8' Black Cord. Medium Base Socket.*



R916-41-WHC-41 ▶
16" Radial Shade in Black with canopy and 8' White Cord. Medium Base Socket.*



◀ **R916-42-BLC-42**
16" Radial Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*



R916-42-WHC-42 ▶
16" Radial Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



◀ **R916-44-BLC-44**
16" Radial Shade in White with canopy and 8' Black Cord. Medium Base Socket.*



R916-44-WHC-44 ▶
16" Radial Shade in White with canopy and 8' White Cord. Medium Base Socket.*



◀ **R916-49-BLC-49**
16" Radial Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*



R916-49-WHC-49 ▶
16" Radial Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket.*

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **R916-41-100GLFR-GUP-41-RBHC-32WPL-41**
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



R916-41-100GLFR-GUP-41-RWHC-32WPL-41 ▶
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-42-100GLFR-GUP-42-RBHC-32WPL-42**
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



R916-42-100GLFR-GUP-42-RWHC-32WPL-42 ▶
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-44-100GLFR-GUP-44-RBHC-32WPL-44**
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



R916-44-100GLFR-GUP-44-RWHC-32WPL-44 ▶
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **R916-49-100GLFR-GUP-49-RBHC-32WPL-49**
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



R916-49-100GLFR-GUP-49-RWHC-32WPL-49 ▶
16" Radial Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.





◀ **R918-41-E6-41**
18" Radial Shade with E6 Arm in Black. Medium Base Socket.*



▶ **R918-41-E6-41-200GLFR-GUP-41-RTC-42WPL-41**
18" Radial Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **R918-42-E6-42**
18" Radial Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **R918-42-E6-42-200GLFR-GUP-42-RTC-42WPL-42**
18" Radial Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **R918-44-E6-44**
18" Radial Shade with E6 Arm in White. Medium Base Socket.*



▶ **R918-44-E6-44-200GLFR-GUP-44-RTC-42WPL-44**
18" Radial Shade with 200W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **R918-49-E6-49**
18" Radial Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **R918-49-E6-49-200GLFR-GUP-49-RTC-42WPL-49**
18" Radial Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **R918-41-BLC-41**
18" Radial Shade in Black with canopy and 8' Black Cord. Medium Base Socket.*



R918-41-WHC-41 ▶
18" Radial Shade in Black with canopy and 8' White Cord. Medium Base Socket.*



◀ **R918-42-BLC-42**
18" Radial Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*



R918-42-WHC-42 ▶
18" Radial Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



◀ **R918-44-BLC-44**
18" Radial Shade in White with canopy and 8' Black Cord. Medium Base Socket.*



R918-44-WHC-44 ▶
18" Radial Shade in White with canopy and 8' White Cord. Medium Base Socket.*



◀ **R918-49-BLC-49**
18" Radial Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*



R918-49-WHC-49 ▶
18" Radial Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket.*



◀ **R918-41-200GLFR-GUP-41-RBHC-42WPL-41**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **R918-42-200GLFR-GUP-42-RBHC-42WPL-42**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **R918-44-200GLFR-GUP-44-RBHC-42WPL-44**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **R918-49-200GLFR-GUP-49-RBHC-42WPL-49**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **R918-41-200GLFR-GUP-41-RWHC-42WPL-41**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **R918-42-200GLFR-GUP-42-RWHC-42WPL-42**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **R918-44-200GLFR-GUP-44-RWHC-42WPL-44**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



▶ **R918-49-200GLFR-GUP-49-RWHC-42WPL-49**
 18" Radial Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixture Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturer cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



W516-41-E6-41

16" Warehouse Shade with E6 Arm in Black. Medium Base Socket.*



W516-41-E6-41-100GLFR-GUP-41-RTC-32WPL-41

16" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



W516-42-E6-42

16" Warehouse Shade with E6 Arm in Forest Green. Medium Base Socket.*




W516-42-E6-42-100GLFR-GUP-42-RTC-32WPL-42

16" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



W516-44-E6-44

16" Warehouse Shade with E6 Arm in White. Medium Base Socket.*



W516-44-E6-44-100GLFR-GUP-44-RTC-32WPL-44

16" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



W516-49-E6-49

16" Warehouse Shade with E6 Arm in Galvanized. Medium Base Socket.*



W516-49-E6-49-100GLFR-GUP-49-RTC-32WPL-49

16" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



W516-41-BLC-41

16" Warehouse Shade in Black with canopy and 8' Black Cord. Medium Base Socket.*

W516-41-WHC-41

16" Warehouse Shade in Black with canopy and 8' White Cord. Medium Base Socket.*



W516-42-BLC-42

16" Warehouse Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*

W516-42-WHC-42

16" Warehouse Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



W516-44-BLC-44

16" Warehouse Shade in White with canopy and 8' Black Cord. Medium Base Socket.*

W516-44-WHC-44

16" Warehouse Shade in White with canopy and 8' White Cord. Medium Base Socket.*



W516-49-BLC-49

16" Warehouse Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*

W516-49-WHC-49

16" Warehouse Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket.*



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturer's instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



- ▶ **W516-41-100GLFR-GUP-41-RBHC-32WPL-41**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

- ▶ **W516-41-100GLFR-GUP-41-RWHC-32WPL-41**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



- ▶ **W516-42-100GLFR-GUP-42-RBHC-32WPL-42**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

- ▶ **W516-42-100GLFR-GUP-42-RWHC-32WPL-42**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



- ▶ **W516-44-100GLFR-GUP-44-RBHC-32WPL-44**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

- ▶ **W516-44-100GLFR-GUP-44-RWHC-32WPL-44**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



- ▶ **W516-49-100GLFR-GUP-49-RBHC-32WPL-49**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

- ▶ **W516-49-100GLFR-GUP-49-RWHC-32WPL-49**
 16" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.





◀ **W518-41-E6-41**
18" Warehouse Shade with E6 Arm in Black.
Medium Base Socket.*



▶ **W518-41-E6-41-100GLFR-GUP-41-RTC-32WPL-41**
18" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **W518-42-E6-42**
18" Warehouse Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **W518-42-E6-42-100GLFR-GUP-42-RTC-32WPL-42**
18" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **W518-44-E6-44**
18" Warehouse Shade with E6 Arm in White. Medium Base Socket.*



▶ **W518-44-E6-44-100GLFR-GUP-44-RTC-32WPL-44**
18" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **W518-49-E6-49**
18" Warehouse Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **W518-49-E6-49-100GLFR-GUP-49-RTC-32WPL-49**
18" Warehouse Shade with 100W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL or 32WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



◀ **W518-41-BLC-41**

18" Warehouse Shade in Black with canopy and 8' Black Cord.
Medium Base Socket.*

W518-41-WHC-41 ▶

18" Warehouse Shade in Black with canopy and 8' White Cord.
Medium Base Socket.*



◀ **W518-42-BLC-42**

18" Warehouse Shade in Forest Green with canopy and 8' Black Cord.
Medium Base Socket.*

W518-42-WHC-42 ▶

18" Warehouse Shade in Forest Green with canopy and 8' White Cord.
Medium Base Socket.*



◀ **W518-44-BLC-44**

18" Warehouse Shade in White with canopy and 8' Black Cord.
Medium Base Socket.*

W518-44-WHC-44 ▶

18" Warehouse Shade in White with canopy and 8' White Cord.
Medium Base Socket.*



◀ **W518-49-BLC-49**

18" Warehouse Shade in Galvanized with canopy and 8' Black Cord.
Medium Base Socket.*

W518-49-WHC-49 ▶

18" Warehouse Shade in Galvanized with canopy and 8' White Cord.
Incandescent 200W.*





◀ **W518-41-100GLFR-GUP-41-RBHC-32WPL-41**
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

W518-41-100GLFR-GUP-41-RWHC-32WPL-41 ▶
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **W518-42-100GLFR-GUP-42-RBHC-32WPL-42**
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

W518-42-100GLFR-GUP-42-RWHC-32WPL-42 ▶
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **W518-44-100GLFR-GUP-44-RBHC-32WPL-44**
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

W518-44-100GLFR-GUP-44-RWHC-32WPL-44 ▶
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.



◀ **W518-49-100GLFR-GUP-49-RBHC-32WPL-49**
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

W518-49-100GLFR-GUP-49-RWHC-32WPL-49 ▶
 18" Warehouse Shade with 100W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL or 32WCFL.

* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted 1 Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturer's instructions. Lamps not included. Design factory's discretion. Screw hardware may not match finish, but are made of stainless steel.





◀ **W520-41-E6-41**

20" Warehouse Shade with E6 Arm in Black. Medium Base Socket.*



▶ **W520-41-E6-41-200GLFR-GUP-41-RTC-42WPL-41**

20" Warehouse Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Black and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **W520-42-E6-42**

20" Warehouse Shade with E6 Arm in Forest Green. Medium Base Socket.*



▶ **W520-42-E6-42-200GLFR-GUP-42-RTC-42WPL-42**

20" Warehouse Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Forest Green and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **W520-44-E6-44**

20" Warehouse Shade with E6 Arm in White. Medium Base Socket.*



▶ **W520-44-E6-44-200GLFR-GUP-44-RTC-42WPL-44**

20" Warehouse Shade with 200W Frosted Glass, Wire Guard, E6 Arm in White and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **W520-49-E6-49**

20" Warehouse Shade with E6 Arm in Galvanized. Medium Base Socket.*



▶ **W520-49-E6-49-200GLFR-GUP-49-RTC-42WPL-49**

20" Warehouse Shade with 200W Frosted Glass, Wire Guard, E6 Arm in Galvanized and RTC Ballast Housing with Fluorescent Ballast. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



◀ **W520-41-BLC-41**

20" Warehouse Shade in Black with canopy and 8' Black Cord. Medium Base Socket.*

W520-41-WHC-41 ▶

20" Warehouse Shade in Black with canopy and 8' White Cord. Medium Base Socket.*



◀ **W520-42-BLC-42**

20" Warehouse Shade in Forest Green with canopy and 8' Black Cord. Medium Base Socket.*

W520-42-WHC-42 ▶

20" Warehouse Shade in Forest Green with canopy and 8' White Cord. Medium Base Socket.*



◀ **W520-44-BLC-44**

20" Warehouse Shade in White with canopy and 8' Black Cord. Medium Base Socket.*

W520-44-WHC-44 ▶

20" Warehouse Shade in White with canopy and 8' White Cord. Medium Base Socket.*



◀ **W520-49-BLC-49**

20" Warehouse Shade in Galvanized with canopy and 8' Black Cord. Medium Base Socket.*

W520-49-WHC-49 ▶

20" Warehouse Shade in Galvanized with canopy and 8' White Cord. Medium Base Socket.*



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



W520-41-200GLFR-GUP-41-RBHC-42WPL-41

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' BlackCord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

W520-41-200GLFR-GUP-41-RWHC-42WPL-41

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Black. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



W520-42-200GLFR-GUP-42-RBHC-42WPL-42

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

W520-42-200GLFR-GUP-42-RWHC-42WPL-42

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Forest Green. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



W520-44-200GLFR-GUP-44-RBHC-42WPL-44

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

W520-44-200GLFR-GUP-44-RWHC-42WPL-44

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in White. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.




W520-49-200GLFR-GUP-49-RBHC-42WPL-49

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' Black Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.

W520-49-200GLFR-GUP-49-RWHC-42WPL-49

20" Warehouse Shade with 200W Frosted Glass, Wire Guard and 8' White Cord in Galvanized. Canopy and ballast included. Fluorescent ballast accommodates 26WCFL, 32WCFL, or 42WCFL.



VAPOR TIGHT SERIES:

100WGL, 200WGL

Available Colors: 41 (Black); 42 (Forest Green);
44 (White); 49 (Galvanized); 51 (Architectural Bronze)



◀ 100WGLCL-GUPC100-49 ▶

Wall Mount 100 Watt Incandescent Vapor Tight with Cast Guard.

100WGLCL-RTCNC-32WPL-GUPC100-49 ▶

Wall Mount 32 Watt Fluorescent Vapor Tight with Cast Guard.



◀ 100WGLCL-GUPC100-CVTS100-49 ▶

Wall Mount 100 Watt Incandescent Vapor Tight with Cast Guard and Cut Shade.

100WGLCL-RTCNC-32WPL-GUPC100-CVTS100-49 ▶

Wall Mount 32 Watt Fluorescent Vapor Tight with Cast Guard and Cut Shade.



◀ 200WGLCL-GUP200-49 ▶

Wall Mount 200 Watt Incandescent Vapor Tight with Wire Guard.

200WGLCL-RTCNC-42WPL-GUP200-49 ▶

Wall Mount 42 Watt Fluorescent Vapor Tight with Wire Guard.



◀ 200WGLCL-GUP200-CVTS200-49 ▶

Wall Mount 200 Watt Incandescent Vapor Tight with Wire Guard and Cut Shade.

200WGLCL-RTCNC-42WPL-GUP200-CVTS200-49 ▶

Wall Mount 42 Watt Fluorescent Vapor Tight with Wire Guard and Cut Shade.



Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel. All fixtures come standard with 96' of lead wire. Additional lead wire (LDW) is available.

VAPOR TIGHT SERIES:

100GL, 200GL

Available Colors: 41 (Black); 42 (Forest Green);
44 (White); 49 (Galvanized); 51 (Architectural Bronze)



- ◀ **100GLCL-GUPC100-E22-49**
100 Watt Incandescent Vapor Tight with Cast Guard Mounted on Straight E22 Arm. See above for available colors.

- 100GLCL-RTCNC-32WPL-GUPC100-E22-49** ▶
32 Watt Fluorescent Vapor Tight with Cast Guard Mounted on Straight E22 Arm. See above for available colors.



- ◀ **100GLCL-GUPC100-VTS100-E22-49**
100 Watt Incandescent Vapor Tight and Shade with Cast Guard Mounted on Straight E22 Arm. See above for available colors.

- 100GLCL-RTCNC-32WPL-GUPC-VTS100-E22-49** ▶
32 Watt Fluorescent Vapor Tight and Shade with Cast Guard Mounted on Straight E22 Arm. See above for available colors.



- ◀ **200GLCL-GUP200-E22-49**
200 Watt Incandescent Vapor Tight with Wire Guard Mounted on Straight E22 Arm. See above for available colors.

- 200GLCL-RTCNC-42WPL-GUP200-E22-49** ▶
42 Watt Fluorescent Vapor Tight with Wire Guard Mounted on Straight E22 Arm. See above for available colors.



- ◀ **200GLCL-GUP200-VTS200-E22-49**
200 Watt Incandescent Vapor Tight and Shade with Wire Guard Mounted on Straight E22 Arm. See above for available colors.

- 200GLCL-RTCNC-42WPL-GUP200-VTS200-E22-49** ▶
42 Watt Fluorescent Vapor Tight and Shade with Wire Guard Mounted on Straight E22 Arm. See above for available colors.



Maximum wattage is specified in order string.
* Max wattage based on open lamp.
† If lower wattage is desired, please specify 26WPL.
†† If lower wattage is desired, please specify 26WPL or 32WPL.

VAPOR TIGHT SERIES: GLGUF200

Available Colors: 41 (Black); 42 (Forest Green);
44 (White); 49 (Galvanized); 51 (Architectural Bronze)



- ◀ **GLGUF100-CL-GUPC100-49**
Ceiling Flush Mount 100 Watt Incandescent
Vapor Tight with Cast Guard. See above for
available colors.

- GLGUF100-CL-RTCNC-32WPL-GUPC100-49** ▶
Ceiling Flush Mount 32 WPL Fluorescent
Vapor Tight with Cast Guard.
See above for available colors.



- ◀ **GLGUF200-CL-GUP200-49**
Ceiling Flush Mount 200 Watt
Incandescent Vapor Tight with Wire Guard.
See above for available colors.

- GLGUF200-CL-RTCNC-42WPL-GUP200-49** ▶
Ceiling Flush Mount 42 WPL
Fluorescent Vapor Tight with Wire Guard.
See above for available colors.



Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel. All fixtures come standard with 96" of lead wire. Additional lead wire (LDW) is available.



◀ **W520-41-PM10-41-BD3S9.125-41**

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in Black. Anchor bolts included. Medium Base Socket.*

W520-42-PM10-42-BD3S9.125-42 ▶

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in Forest Green. Anchor bolts included. Medium Base Socket.*



◀ **W520-44-PM10-44-BD3S9.125-44**

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in White. Anchor bolts included. Medium Base Socket.*



W520-49-PM10-49-BD3S9.125-49 ▶

20" Warehouse Shade with 3/4" Post Mount Arm with 3" Diameter Smooth Bolt Down Pole with a Finished Height of 9' and .125 wall all in Galvanized. Anchor bolts included. Medium Base Socket.*





◀ **W520(2)-41-PM20-41-BD3S9.125-41**

(2) 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in Black. Anchor bolts included. Medium Base Socket.

W520(2)-42-PM20-42-BD3S9.125-42 ▶

(2) 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in Forest Green. Anchor bolts included. Medium Base Socket.



◀ **W520(2)-44-PM20-44-BD3S9.125-44**

(2) 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in White. Anchor bolts included. Medium Base Socket.

W520(2)-49-PM20-49-BD3S9.125-49 ▶

(2) 20" Warehouse Shades with 3/4" Double Post Mount Arm with 3" Diameter Smooth Bolt Down Shaft with a Finished Height of 9" and .125 wall all in Galvanized. Anchor bolts included. Medium Base Socket.



* Max wattage based on open lamp.

Painted finishes are powder coated for a durable, scratch-resistant finish. White paint standard inside all painted fixtures except Galvanized. Galvanized is a painted finish. Fixtures, arms and post mounts are U.L. wet listed when installed according to manufacturers instructions. Fixtures with cord are U.L. damp/dry listed when installed according to manufacturer's instructions. Lamps not included. Design and construction may change at factory's discretion. Screw hardware may not match finish, but are made of stainless steel.



For updated product
and technical information,
visit us on-line:
anplighting.com

Custom Fixtures Available



9044 Del Mar, Montclair, CA 91763

Call 800-548-3227
909-982-1807

Fax 800-242-5483
909-985-4310

anplighting.com