

SA19 LED

**EPA:** 0.40 Weight: 9.0 lbs.







Project Name:

Fixture Type: Quantity:

**Customer:** 

# Specifications

### Material:

RLM shades are constructed of 12 gauge 1100 series spun aluminum. Wall back plate and driver housing are cast aluminum, some types include a spun metal cover. All fasteners are stainless steel. Some washers may be galvanized. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

Glass: Choice of clear, frosted or prismatic.

#### Drivers:

Universal voltage 120-277 is standard. 0-10V, TRIAC and ELV dimming to 1% protocols are standard for LED modules. (Refer to Driver Specification section for other specifications.)

5

**Modifications:** Consult factory for custom or modified designs.

#### Electrical:

Approximately 6" of pull wire extends from luminaire. All luminaires are prewired with 0-10V dimming leads. Post Arms and Wall Mounts are also prewired with line voltage & dimming leads.


Certifications: Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations. LED Module is IP66

### Finish:

A polyester powder coat high quality finish. Marine grade finish is available.

### **Buy American:**

This product is assembled in the USA and meets the Buy America(n) government procurement requirements under FAR, DFARS, and DOT regulations. Click here for additional information.



Catalog Number	1	2	3	4	5	6	7	8
SA19								

**DRIVER HOUSINGS** 

1	GLASS	
	CL (Clear Glass)	
	FR (Frosted Glass)	
	PR (Prismatic Glass)	

2	LIGHT SOURCE & WATTAGES
	AM10W (10W ANP Module COB)
	AM20W (20W ANP Module COB)
	AM30W (30W ANP Module COB)

3	DISTRIBUTION
_	D (Dome Frosted Acrylic Wide Distribution Lens)

4	CCT (COLOR TEMPERATURE)
	<b>27K</b> (2700K)
	<b>30K</b> (3000K)
	<b>35K</b> (3500K)
	<b>40K</b> (4000K)

NA	No selection is required if Color Cord or Emergency Backup are not chosen
	Wall Mount Options Choose Arm in Box 5
RTCW	(Driver Housing for Wall only (E-arms); 6 1/2" OD x 5 5/8" H)
SRTCW	(Smooth Driver Housing for Wall only (E-arms); 6" OD x 2 7/8" H)
RTCNCW	(Driver Housing/No Spun Cover for Wall only (E-arms); 5 7/8" OD x 2 5/8" H)
	Cord Mount Options Choose Cord Style in Box 6
CRD-RTCC	(Driver Housing for Cord only; 6 1/2" OD x 5 5/8" H)
CRD-SRTCC	(Smooth Driver Housing for Cord only; 6" OD x 2 7/8" H)
CRD-RTCNCC	(Driver Housing/No Spun Cover for Cord only; 5 7/8" OD x 2 5/8" H)
	Cable Mount Options Choose Cord Style in Box 6
SSC-RTCC	(Driver Housing for SS Cable/Cord only; 6 1/2" OD x 5 5/8" H)
SSC-SRTCC	(Smooth Driver Housing for SS Cable/ Cord only; 6" OD x 2 7/8" H)
SSC-RTCNCC	(Driver Housing/No Spun Cover for SS Cable/Cord only; 5 7/8" OD x 2 5/8" H)
	Stem Mount Options Choose Stem Size in Box 6
ST-RTCC	(Driver Housing for Stem only; 6 1/2" OD x 5 5/8" H)
ST-SRTCC	(Smooth Driver Housing for Stem only; 6" OD x 2 7/8" H)
ST-RTCNCC	(Driver Housing/No Spun Cover for Stem only; 5 7/8" OD x 2 5/8" H)
Em	ergency Backup Housing Options Choose EMG Driver in Box 7
CRD-DCCEM	(Emergency Ballast Housing for Cord only; 12" OD x 1 1/2" H) Choose Cord Style in Box 6.
ST-DCCEM	(Emergency Ballast Housing for Stem only; 12" OD x 1 1/2" H) Choose Stem Size in Box 6.
SSC-DCCEM	(Emergency Ballast Housing for SS Cable/ Cord only; 12" OD x 1 1/2" H) Choose Cord Style in Box 6.
*Driver H	lousing finish will match fixture finish.

6 MOUNT	ING SOURCES*										
Arn	n Mounts										
E3 E4 E6 E8	8 E9 E10 E11 E12 E18 E25										
Wa	II Mounts										
WM40 WM5	4 WM74 WM317										
Pos	st Mounts										
PM10 PM20 PM3	0 PM40 PM50 PM319										
Cor	d Mounts										
	or & Style for color cord style)										
NA No Selection Required if: CRD-DCCEM-BLC; CRD-DCCEM-WHC; SSC-DCCEM-BLC or SSC-DCCEM-WHC is choosen in Box 5.											
SJT Cord											
BLC (6' Black SJT Cord) WHC (6' White SJT Cord)											
Solid Fabric Colored Cords											
BLSF (6' Black)	KGSF (6' Kelly Green)										
ORSF (6' Orange)	WHSF (6' White)										
GYSF (6' Gray)	CBSF (6' Cobalt Blue)										
LGSF (6' Lime Green)	CASF (6' Cardinal)										
CHSF (6' Chocolate Brown)	SBSF (6' Sky Blue)										
Patterned Fa	bric Colored Cords										
<b>BWHPF</b> (6' Black/White Houndstooth)	MOSPF (6' Magenta/Orange Stripe)										
BIHPF (6' Brown/Ivory Houndstooth)	NMTPF (6' Navy Mini Tweed)										
GYCPF (6' Gray/Citrus Yellow	)										
Glossy Fabric Colored Cords											
GMGF (6' Gun Metal)	BRGF (6' Bronze)										
SSGF (6' Sterling Silver)	GOGF (6' Gold)										
CPGF (6' Copper Penny)											
Ster	m Mounts										
1/2" (13/16" OD) Rigid Stems	3/4" (1" OD) Rigid Stems										
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18										
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48										
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96										
*Arm mounts, Wall mounts or Stem finish will match fixture finish.											







Project Name:		
Fixture Type:	Quantity:	
Customer:		

7 MOUNTING ACCESSORIES							
EMG-LED06	(6W, LED Emergency Driver, DCCEM Placement, ANP Module Only)						
EMG-LED10	(10W, LED Emergency Driver, DCCEM Placement, ANP Module Only)						
EMG-LED16	(16W, LED Emergency Driver, DCCEM Placement, ANP Module Only)						
EMG-LED20	(20W, LED Emergency Driver, DCCEM Placement, ANP Module Only)						
EMG-LEDR05	(5W, LED Emergency Driver, Remote Placement up to 30', ANP Module Only, Provided with Flexible Conduit)						
EMG-LEDR7.8	(7.8W, LED Emergency Driver, Remote Placement up to 30', ANP Module Only, Provided with Flexible Conduit)						
EMG-LEDR10.7	(10.7W, LED Emergency Driver, Remote Placement up to 30', ANP Module Only, Provided with Flexible Conduit)						
EMG-LEDR17	(17W, LED Emergency Driver, Remote Placement up to 30', ANP Module Only, Provided with Flexible Conduit)						
PC	(Button Photo Cell)						
sc	(Scroll for Arms)**						
SLC	(Sloped Ceiling Mount Canopy, 15° Max)**						
SQ	(Square Back Plate)**						
SWL	(Adjustable Locking Swivel)**						
твк	(Turn Buckle Kit)**						
*Most EM Packs are remote mount only (consult factory). For percent lumens in emergency mode, see Technical Section at <a href="https://www.ANPlighting.com">www.ANPlighting.com</a>							
**Acces	**Accessory finish will match fixture finish.						

Colors         Grade         Grade*         Colors         Grade*         Grade* </th <th>8 *Pre</th> <th>emium and N</th> <th></th> <th>NISHES de Finish have addit</th> <th>ional charges</th> <th>3</th>	8 *Pre	emium and N		NISHES de Finish have addit	ional charges	3		
Aspen Green 10 10M Black 01 01M Cantaloupe 11 11M Arctic Silver 14 14M Lilac 12 12M Candy Apple Red 64 64M Red 65 65M Raw Unfinished 40 NA Caramel 66 66M Black 41 41M Butterscotch 67 67M Forest Green 42 42M Black Silver 68 68M Bright Red 43 43M Gunmetal Gray 69 69M White 44 44M Mayan Gold 79 NA Bright Blue 45 45M Textured Desert Stone Sunny Yellow 46 46M Extreme 81 81M Silver 81 81M Aqua Green 47 47M Graystone 82 82M Galvanized 49 NA Graystone 82 82M Galvanized 49 NA Graystone 82 82M Osalvanized 51 51M Bright Silver 56 56M Silver 56 56M Black Verde 61 61M Painted						Marine Grade		
Lilac         12         12M         Candy Apple Red         64         64M           Putty         13         13M         Cobalt Blue         65         65M           Raw Unfinished         40         NA         Caramel         66         66M           Black         41         41M         Butterscotch         67         67M           Forest Green         42         42M         Black Silver         68         68M           Bright Red         43         43M         Gunmetal Gray         69         69M           White         44         44M         Mayan Gold         79         NA           Bright Blue         45         45M         Textured Desert Stone         80         80M           Sunny Yellow         46         46M         Chrome         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M         51         51M         51         52	Aspen Green	10	10M		01	01M		
Lilac         12         12M         Red         04         044 <td>Cantaloupe</td> <td>11</td> <td>11M</td> <td>Arctic Silver</td> <td>14</td> <td>14M</td>	Cantaloupe	11	11M	Arctic Silver	14	14M		
Raw Unfinished         40         NA         Caramel         66         66M           Black         41         41M         Butterscotch         67         67M           Forest Green         42         42M         Black Silver         68         68M           Bright Red         43         43M         Gunmetal Gray         69         69M           White         44         44M         Mayan Gold         79         NA           Bright Blue         45         45M         Textured Desert Stone         80         80M           Sunny Yellow         46         46M         Extreme Chrome         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M	Lilac	12	12M		64	64M		
Black         41         41M         Butterscotch         67         67M           Forest Green         42         42M         Black Silver         68         68M           Bright Red         43         43M         Gunmetal Gray         69         69M           White         44         44M         Mayan Gold         79         NA           Bright Blue         45         45M         Textured Desert Stone         80         80M           Sunny Yellow         46         46M         Extreme         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Oil Rubbed Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M         Silver         96         96M           Patina Verde         52         52M         Copper Clay         53         53M         Silver         56         56M         Black Verde         61         61M         Painted         70M         70M         70M         70M         70M         70M         70M <td>Putty</td> <td>13</td> <td>13M</td> <td>Cobalt Blue</td> <td>65</td> <td>65M</td>	Putty	13	13M	Cobalt Blue	65	65M		
Forest Green	Raw Unfinished	40	NA	Caramel	66	66M		
Bright Red         43         43M         Gunmetal Gray         69         69M           White         44         44M         Mayan Gold         79         NA           Bright Blue         45         45M         Textured Desert Stone         80         80M           Sunny Yellow         46         46M         Extreme Chrome         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Oil Rubbed Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M         51M <td>Black</td> <td>41</td> <td>41M</td> <td>Butterscotch</td> <td>67</td> <td>67M</td>	Black	41	41M	Butterscotch	67	67M		
White         44         44M         Mayan Gold         79         NA           Bright Blue         45         45M         Textured Desert Stone         80         80M           Sunny Yellow         46         46M         Extreme Chrome         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Oil Rubbed Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M         51M <td< td=""><td>Forest Green</td><td>42</td><td>42M</td><td>Black Silver</td><td>68</td><td>68M</td></td<>	Forest Green	42	42M	Black Silver	68	68M		
Bright Blue         45         45M         Textured Desert Stone         80         80M           Sunny Yellow         46         46M         Extreme Chrome         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Oil Rubbed Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M         S1M         S1V         Copper Clay         53         53M         S3M         S1Iver         56         56M         Black Verde         61         61M         61M         Painted         70         70M         70M </td <td>Bright Red</td> <td>43</td> <td>43M</td> <td>Gunmetal Gray</td> <td>69</td> <td>69M</td>	Bright Red	43	43M	Gunmetal Gray	69	69M		
Stone	White	44	44M	Mayan Gold	79	NA		
Sunny Yellow         46         46M         Chrome         81         81M           Aqua Green         47         47M         Graystone         82         82M           Galvanized         49         NA         Oil Rubbed Bronze         83         83M           Navy         50         50M         Carbon Graphite         96         96M           Architectural Bronze         51         51M         51M         51M         51M           Patina Verde         52         52M         52M         52M         53M         53M <td>Bright Blue</td> <td>45</td> <td>45M</td> <td></td> <td>80</td> <td>80M</td>	Bright Blue	45	45M		80	80M		
Salvanized   49	Sunny Yellow	46	46M		81	81M		
Navy   50   50M   Carbon Graphite   96   96N	Aqua Green	47	47M	Graystone	82	82M		
Architectural Bronze         51         51M           Patina Verde         52         52M           Copper Clay         53         53M           Silver         56         56M           Black Verde         61         61M           Painted         70         70M	Galvanized	49	NA		83	83M		
Bronze         51         51M           Patina Verde         52         52M           Copper Clay         53         53M           Silver         56         56M           Black Verde         61         61M           Painted         70         70M	Navy	50	50M	Carbon Graphite	96	96M		
Copper Clay         53         53M           Silver         56         56M           Black Verde         61         61M           Painted         70         70M		51	51M					
Silver 56 56M  Black Verde 61 61M  Painted 70 70M	Patina Verde	52	52M					
Black Verde 61 61M Painted 70 70M	Copper Clay	53	53M					
Painted 70 70M	Silver	56	56M					
	Black Verde	61	61M					
Officials	Painted Chrome	70	70M					
Painted Copper 71 71M	Painted Copper	71	71M					

FINISHES  *Premium and Marine Grade Finish have additional charges													
Standard Colors	Standard Grade	Marine Grade*		Premium Grade*	Marine Grade								
Textured Black	72	72M											
Matte Black	73	73M											
Textured Architectural Bronze	76	76M											
Textured White	77	77M											
Textured Silver	78	78M											
Consult Fa	ctory for a	dditiona	l paint charge	es and availab	ility.								

	PERFORMANCE TABLE - ANP MODULE - INITIAL LUMENS																					
	2700K 3000K 3500K 4000K								<													
LED CATALOG	WATTS	DISTRIBUTION	INITIAL LUMENS	lm/W	В	U	G	INITIAL LUMENS	lm/W	В	U	G	INITIAL LUMENS	lm/W	В	U	G	INITIAL LUMENS	lm/W	В	U	G
AM10W	10W	TYPE V	847	85	1	0	0	888	89	1	0	0	899	90	1	0	0	910	91	1	0	0
AM20W	20W	TYPE V	1694	85	1	0	0	1777	89	1	0	0	1799	90	1	0	0	1820	91	1	0	0
AM30W	30W	TYPE V	2541	85	1	0	0	2665	89	1	0	0	2698	90	1	0	0	2730	91	1	0	0

MODULE SPECIFICATION		
CREE XLAMP™ CMU		
Typical Efficacy 90 lm/W		
• CCT: 2700K, 3000K, 3500K, 4000K		
CRI: 90 (min) 92 Typical		
3-Step Ellipse		
Certifications: UL Recognized, RoHS, ENEC, REACH		

DRIVER SPECIFICATION	
Universal Input: 120-277V	
Dimming: 0-10V, TRIAC, ELV (Dims to 1%)	
Power Factor @ Full Load >90%	
THD @ Full Load <20%	
Constant Current Output 50/60Hz	
Operating Temperature: -30°C Minimum	
• Lifetime: >50,000 hours	
Ingress Protection: IP66	
Certifications: UL Recognized, CE, FCC, Energy Star, DLC, CA Title 24	

# **FINISHES**

- A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.
- Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3,000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

## WARRANTY

See  $\underline{www.ANPlighting.com}$  for complete fixture warranty.

LED warranty information

- 5 year limited warranty\*
- \*Limited Warranty: A typical year is defined as 4,380 hours of operation.







Project Name:	
Fixture Type:	Quantity:

Customer:

# **ACCESSORIES**





SC

SLC







**TBK** 

## **POPULAR ARM MOUNTS**

Dimensions are Projection x Height | CB included with all arms Click here for all Arm Mount styles



# **POPULAR WALL MOUNTS**

Dimensions are Projection x Height Click here for all Wall Mount styles



WM40 | 13 7/8" x 14 3/4"



**WM54** | 23 3/8" x 18"



WM74 | 22" x 26 1/2"



WM84 | 26 1/2" x 57 1/4"



WM317 | 15" x 12 3/4"

# **POPULAR POST MOUNTS**

Dimensions are Projection x Height Click here for all Post Mount styles



PM10 | 14 1/2" x 25"



PM20 | 30 1/8" x 25"



PM30 | 21 5/8" x 28 7/8"



PM40 | 43 3/8" x 28



PM50 | 27" x 38"



PM319 | 16 5/8" x 27 1/2"

# **DRIVER HOUSINGS**



**RTCW** (6 1/2" OD x 5 5/8" H) Wall Only (E-arms)



**RTCC** (6 1/2" OD x 5 5/8" H)





**RTCNCC** (5 7/8" OD x 2 5/8" H)



 $\begin{array}{c} \textbf{SRTCW} \\ \text{(6" OD x 2 7/8" H) Wall Only (E-arms)} \end{array}$ 



**SRTCC** (6" OD x 2 7/8" H)



Page 3/5





Project Name:		
Fixture Type:	Quantity:	
Customer:		

## **GLASS GUARD**

→ CL = Clear → FR = Frosted → PR = Prismatic







# PATTERNED FABRIC COLORED CORDS All fabric Color Cords are three conductor, 1/4" diameter



















Project Name:		
Fixture Type:	Quantity:	
Customer:		

		FINISHES COLORS					
STANDARD							
WHITE  TEXTURED WHITE  SILVER  PAINTED CHROME  PAINTED CALVANIZED  PUTTY  TEXTURED BLACK  MATTE BLACK  BLACK	BLACK VERDE PATINA VERDE FOREST GREEN AQUA GREEN ASPEN GREEN BRIGHT BLUE	NAVY SUNNY YELLOW CANTALOUPE LILAC BRIGHT RED PAINTED COPPER COPPER CLAY ARCHITECTURAL BRONZE TEXTURED ARCHITECTURAL					







