



**Project Name:** \_\_\_\_\_


**Pole Type:** \_\_\_\_\_ **Quantity:** \_\_\_\_\_

**Customer:** \_\_\_\_\_

2 ACCESSORIES	
<b>SQBDC4-SQ</b>	(Square Bolt Down Cover 4" Square Pole)
<b>SQBDC5-SQ</b>	(Square Bolt Down Cover 5" Square Pole)
<b>SQBDC6-SQ</b>	(Square Bolt Down Cover 6" Square Pole)
<b>SSQBDC4-SQ</b>	(Split Square Bolt Down Cover 4" Square Pole)
<b>SSQBDC5-SQ</b>	(Split Square Bolt Down Cover 5" Square Pole)
<b>SSQBDC6-SQ</b>	(Split Square Bolt Down Cover 6" Square Pole)
<b>IBOLT</b>	(Eye Bolt)
<b>GFI20</b>	(20 Amp GFCI Receptacle Outlet*)
<b>GFI-WPU</b>	(20 Amp GFCI Receptacle with Weather-proof while-in-use cover*)
<b>EXTB-4SQ</b>	(Extension Box for GFI, 4" Square Pole)
<b>EXTB-5SQ</b>	(Extension Box for GFI, 5" Square Pole)
<b>EXTB-6SQ</b>	(Extension Box for GFI, 6" Square Pole)
<b>TP</b>	Tamper-Proof Screw (Handhole)
*Please advise mounting height & orientation. Examples: @2'-6" & same side as hand hole (0°) @6'-6" & to the right of hand hole (90°) @2'-6" & to the rear of hand hole (180°) @2'-6" & to the left of hand hole (270°)	

3 FINISHES					
*Premium and Marine Grade Finish have additional charges					
Standard Colors	Standard Grade	Marine Grade*	Standard Colors	Standard Grade	Marine Grade*
Aspen Green	10	10M	Copper Clay	53	53M
Cantaloupe	11	11M	Silver	56	56M
Lilac	12	12M	Black Verde	61	61M
Putty	13	13M	Painted Chrome	70	70M
Raw Unfinished	40	NA	Painted Copper	71	71M
Black	41	41M	Textured Black	72	72M
Forest Green	42	42M	Matte Black	73	73M
Bright Red	43	43M	Textured Architectural Bronze	76	76M
White	44	44M	Textured White	77	77M
Bright Blue	45	45M	Textured Silver	78	78M
Sunny Yellow	46	46M	<b>PREMIUM FINISH</b>	<b>Premium Grade*</b>	<b>Marine Grade*</b>
Aqua Green	47	47M	Textured Desert	80	80M
Galvanized	49	NA	Graystone	82	82M
Navy	50	50M	Oil Rubbed Bronze	83	83M
Architectural Bronze	51	51M	Carbon Graphite	96	96M
Patina Verde	52	52M			

**Consult Factory for additional paint charges and availability.**



TOP	
*Must choose if ordering pole alone; leave blank if ordering luminaire or arm.	
<b>OT</b>	(Open Top)
<b>OTPC</b>	(Open Top, includes flat Pole Cap)
<b>OM</b>	(Other Mounting (please define))

## ACCESSORIES



**BDC**



**SBDC**



**IBOLT**



**GFI20**



**GFI-WPU**

Project Name: \_\_\_\_\_

Pole Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

Customer: \_\_\_\_\_

### FINISHES

- A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion. 5-year warranty for aluminum products. 2-year warranty for steel products.
- Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3,000 hours of continuous salt spray, comes with a 2-year warranty and is available in either a textured or gloss surface.

### WARRANTY

See [www.ANPlighting.com](http://www.ANPlighting.com) for complete fixture warranty.

LED warranty information

- 5 year limited warranty\*
- ANPlighting.com

### FINISHES COLORS

#### STANDARD



#### PREMIUM

